

Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MAG002	Magna Stainless								
PO10790	1		M6061T6TR4.0X2.0 f W125		11/19/2009	11/19/2009	20.0000	\$4.10	0.0000	0	\$82.00
CAD	No		6061-T6 Rect Tube f 4.0 x 2.0 x .125w 113216		20.0000	Stores		\$82.00	0.0000	0	
	2		M6061T6S.050 sf		11/19/2009	11/19/2009	96.0000	\$2.88	0.0000	0	\$276.00
	No		6061-T6 .050 Sheet sf 113216		96.0000	Stores		\$276.00	0.0000	0	
	3		M6061T6B00750X00 f .125		11/19/2009	11/19/2009	20.0000	\$0.50	0.0000	0	\$10.00
	No		6061-T6 Bar .750 x f .125 113216		12.0000	Stores		\$10.00	0.0000	0	
	4		M304RO.750 f		11/19/2009	11/19/2009	50.8000	\$3.80	0.0000	0	\$193.04
	No		304 SS Roundbar f .750 113216		40.0000	Stores		\$193.04	0.0000	0	
	5		M304S188 sf		11/19/2009	11/19/2009	32.0000	\$17.34	0.0000	0	\$555.00
	No		304 SHEET 0.188 sf 113216		32.0000	Stores		\$555.00	0.0000	0	
Total Received Quantity:										218.8000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$1,116.04	
Total Balance Due Quantity:										0.0000	

Receiving Report

Date: 9/11/89

Batch No: m11 3216

Supplier: mawp

Dart P/O: 16770

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection 8 N/A ☒
 Work Order 071419 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin: 9/11/89
 Date
 Received/Costing
 Initial

Location



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I019755

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY , ON
K6A 1K7
Contact: CHANTAL

HAWKESBURY , ON
K6A 1K7
Ship Terms: PREPAID

MTR:Y

SPECIAL INSTRUCTIONS

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO		
CANADIAN DOLLARS	ERYCK BLAIS	(613) 632-5200	(613) 632-1053	P010790		
Sales Order	Terms	Ship Via		Date Ordered	Date Required	Date Shipped
W021681	NET 30 DAYS	NIR:R-557065-1		11/18/09	11/19/09	11/19/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
1		PC	ALUMINUM FLATS AFL 6061 T6 1/8" x 3/4" x R/L 20' 2 LB / 1 PC	L026372	07C043	1
1		PC	ALUM RECT TUBE ART 6061 T6 SC 2" x 4" x .120" x R/L 20' 33 LB / 1 PC	L031026	7547	1
3		PC	ALUMINUM SHEET ASH 6061 T6 .050" x 48" x 96" 69 LB / 3 PC	L031193	1670601	3
1		PC	STAINLESS PLATE SPL 304 3/16" x 48" x 96" 275 LB / 1 PC	L029273	A2801156	1
4		PC	STAINLESS ROUNDS SRB 304 3/4" x R/L 12'7" 76 LB / 4 PC	L029517	80027	4
Bundles: 1		Skids: 1		Approx Weight:		455 LB

Received by: _____ Date: _____ Signature: _____

POO 6573

DOC : V/0080252201

DATE : 2007-10-09

PROD. REF. : 0000229598/005

NRBST : 16344/05

PAGE : 1/ 2

INSPECTION CERTIFICATE

Aleris
Europe

CUSTOMER :

YOUR ORDER NUMBER : 403927-IMP (CHARLESTON PO 5513-E)
CUR CREDIT NUMBER : 16344/05
DOCUMENT NUMBER : V/0080252201

Aleris Aluminum Duffel BVBA
A. Stocletlaan 87, 2570 Duffel - Belgium

DESCRIPTION : ALU SHEETS (STENC) AA 6061-T6 AMS-QQA 250/11 AMS 4027M ASTM B209-04
DIMENSIONS : 96" X 48" X .05"
ARTICLE NO. :

=====

COIL NUMBER	CAST NUMBER	CHEMICAL COMPOSITION (%)									
001	1670601	MIN	SI	FE	CU	MN	MG	CR	TI	ZN	
		MAX	0,40		0,15		0,8	0,04			
			0,8	0,7	0,40	0,15	1,2	0,35	0,15	0,25	
			0,66	0,4	0,18	0,09	0,9	0,14	0,02	0,01	
		OTHERS : EACH				MIN		0,05 MAX			
		TOTAL				MIN		0,15 MAX			

=====

=====

TEST-
NUMBER

(T) = TRANSVERSAL (L) = LONGITUDINAL
1 N/MM2 = 1 MPA = 0,1 HBAR = 0,102 KG/MM2 = 0,145 KSI
/A = REAR END /M = MIDDLE /V = FRONT END /O = RANDOM SAMPLING

=====

TEST- NUMBER	MIN MAX	RM	RP02	A
		KSI 42	KSI 35	% 10
001	/A	49	41	15
001	/M	48	41	16
001	/V	48	41	16

=====

Aleris Aluminum Duffel BVBA

Serlu/19

DOC : V/0080252201

DATE : 2007-10-09

PROD. REF. : 0000229598/005

NREBT : 16344/05


PAGE : 2/ 2

Aleris
Europe

Aleris Aluminum Duffel BVBA
A. Stodelaan 37, 2570 Duffel - Belgium

DATE SOLUTION HEAT TREATMENT COIL NUMBER
001 STENCILLING : WEEK 38 / YEAR 2007

HEAD OF LABORATORY,
XAVIER SCHELTJENS



Aleris Aluminum Duffel BVBA

P004846

Aluminium Mill Certificate

Cert. No.: KAP617163

Customer:

Contract No.: CA-SM74134

Alloy Temper: 6061-T6511

Container No: ZCSU9005739/45HQ

Standards: ASTM-B221 & AMS-QQ-A-200/8

Shipment Date: Nov 28 2007

PO No: P00835

Invoice No: M76412

			Shipment Date: Nov 28 2007												PO No: P00835		Invoice No: M76412				
Product Code	Die No	Specification	6061 Chemical Composition (%)													Tensile		Yield			
			Heat No.	Si	Mg	Fe	Cu	Mn	Zn	Cr	Ti	Pb	Bi	Zr	Al	Strength		Elongation			
				0.40-0.80	0.80-1.20	0.70 max.	0.15-0.40	0.15 max.	0.25 max.	0.04-0.35	0.15 max.	--	--	--	Rem.	N/mm ²	ksi	N/mm ²	ksi	%	
	6079	ANGLE .75X.75X.125 R	07G273	0.725	0.952	0.202	0.246	0.049	0.016	0.113	0.013	0.001				265	38	245	36	8	
	6009-318	ANGLE 1 X 1 X 1/8 RF	07C043	0.746	0.958	0.201	0.278	0.041	0.200	0.123	0.012	0.001		Rem.	296	43.0	267	39.0	12.8		
	6009-318	ANGLE 1 X 1 X 1/8 RF	07C043	0.746	0.958	0.201	0.278	0.041	0.200	0.123	0.012	0.001		Rem.	306	44.0	289	42.0	15.0		
	6076	ANGLE1.25X1.25X.125R	07C077	0.708	0.965	0.201	0.261	0.047	0.049	0.120	0.012	0.001		Rem.	306	44.0	289	42.0	15.0		
	6043	ANGLE 2X2X1/8	07C043	0.746	0.958	0.201	0.278	0.041	0.200	0.123	0.012	0.003		Rem.	303	44.0	290	42.0	11.0		
	6043	ANGLE 2X2X1/8	07C043	0.746	0.958	0.201	0.278	0.041	0.200	0.123	0.012	0.001		Rem.	285	41.0	267	39.0	11.6		
	6012-476	ANGLE 1.5X1.5X3/16	07D677	0.734	0.962	0.204	0.234	0.042	0.025	0.127	0.013	0.001		Rem.	303	44.0	273	40.0	16.4		
	6041	ANGLE 2X2X3/16 RF	07G273	0.725	0.952	0.202	0.246	0.049	0.016	0.113	0.013	0.002		Rem.	330	48.0	295	43.0	17.2		
	90107	CHANNEL3X1.5X3/16RF	07D677	0.734	0.962	0.204	0.234	0.042	0.025	0.127	0.013	0.001		Rem.	306	44.0	283	41.0	14.4		
	01099	FLAT BAR3/16X2.00	07C077	0.708	0.965	0.201	0.261	0.047	0.049	0.120	0.012	0.002		Rem.	289	42.0	263	38.0	14.4		
	01606	FLAT BAR.188X3.000	07C043	0.746	0.958	0.201	0.278	0.041	0.200	0.123	0.012	0.003		Rem.	305	44.0	295	43.0	11.0		
	44416	REC TUBE RC3X2X.125"	07D677	0.734	0.962	0.204	0.234	0.042	0.025	0.127	0.013	0.001		Rem.	337	49.0	319	46.0	12.0		
	44415	REC TUBE RC 3X2X.25"	07D677	0.734	0.962	0.204	0.234	0.042	0.025	0.127	0.013	0.002		Rem.	313	45.0	289	42.0	13.2		
	44417	REC TUBE RC 4X2X.12"	07D677	0.734	0.962	0.204	0.234	0.042	0.025	0.127	0.013	0.002		Rem.	324	47.0	307	45.0	15.2		
	4057	SQ TUBE RC2X2X.12"	07D677	0.734	0.962	0.204	0.234	0.042	0.025	0.127	0.013	0.002		Rem.	289	42.0	275	40.0	11.0		
	01037	FLAT BAR .125X.750	07C043	0.746	0.958	0.201	0.278	0.041	0.200	0.123	0.012	0.002		Rem.	301	44.0	283	41.0	13.4		
	0089	FLAT BAR.125X1.00	07G273	0.725	0.952	0.202	0.246	0.049	0.016	0.113	0.012	0.001		Rem.	309	45.0	293	42.0	14.8		
	4055	SQ TUBE 1X1X.12	07G273	0.725	0.952	0.202	0.246	0.049	0.016	0.113	0.013	0.001		Rem.	318	46.0	285	41.0	11.8		
														Rem.	301	44.0	270	39.0	13.0		

S 02/11/19

Level 14, Uptown 1, No. 1 Jalan SS21/58, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
c/oRoom 17, 18/F, North Tower, Concordia Plaza, 1 Science Museum Road, Kowloon, Hong Kong
Tel No. (852)23020808, Fax No: (852)23020062
E-mail: info@kamkiu.com Web Page: www.kamkiu.com

Aluminium Mill Certificate

Cert. No.: KAP617163

Customer:

Contract No.: CA-SM74134

Alloy Temper: 6061-T6511

Container No: ZCSU9005739/45HQ



Taishan City Kam Kiu Aluminium Extrusion Co. Ltd.
Address: Daijiang County, Taishan, Guang Dong, China
Tel: (86) 7505438596 Fax: (86) 7505438173

Standards: ASTM-B221 & AMS-QQ-A-200/8

Shipment Date: Nov 28 2007

PO No: P00835

Invoice No: M76412

			Shipment Date: Nov 28 2007											PO No: P00835		Invoice No: M76412				
Product Code	Die No	Specification	6061 Chemical Composition (%)													Tensile		Yield		Elongation
			Heat No.	Si	Mg	Fe	Cu	Mn	Zn	Cr	Ti	Pb	Bi	Zr	Al	Strength				
				0.40-0.80	0.80-1.20	0.70 max.	0.15-0.40	0.15 max.	0.25 max.	0.04-0.35	0.15 max.	--	--	--	Rem.	N/mm ²	ksi	N/mm ²	ksi	%
																265	38	245	36	8


Kam Kiu Aluminium Group hereby certifies that metal shipped under the above mentioned PO No, Contract No, and Container No has been inspected and tested in accordance with applicable specifications forming a part of the description set forth in Kam Kiu's Sales Contract. This Mill Test Certificate is valid only when used in conjunction with the above mentioned PO No, Contract No, and Container No.

Kam Kiu Aluminium Group hereby certifies that metal shipped under the above mentioned PO No, Contract No, and Container No has been inspected and tested, and found in conformance with the applicable specifications forming a part of the description set forth in Kam Kiu's Sales Contract. This Mill Test Certificate complies to 3.1 EN 10204.

Prepared By:

Waley

Checked By:



Level 14, Uptown 1, No. 1 Jalan SS21/58, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
c/o

Room 17, 18/F, North Tower, Concordia Plaza, 1 Science Museum Road, Kowloon, Hong Kong
Tel No. (852)23020808, Fax No: (852)23020062
E-mail: info@kamkiu.com Web Page: www.kamkiu.com



INSPECTION CERTIFICATE

61048

Shanxi Taigang Stainless Steel CO.,LTD Member of Taiyuan Iron and Steel (Group) Co.,LTD				INSPECTION CERTIFICATE OF QUALITY								
NO.2 jiancaoping,Taiyuan,Shanxi,P.R.China				CERTIFICATE NO. A836-2								
TEL: (0351)3013328 FAX: (0351)3017816				MATERIAL A151304 NO.1 FINISH								
http://www.tisco.com.cn				SPECIFICATION ASTM A240-01/A480-04, ASME SA240/A480								
E-mail: tghxg@tisco.com.cn				L/C No.								
CUSTOMER				CONTRACT NO.		DATE OF ISSUE						
S. S. S. S.				61048		20080805						
Product		Melting furnace		Inspectors stamp		Mark of the Manufacturer						
COIL		E-VOD				Shanxi Taiyuan Stainless Steel Co.,Ltd						
NO.	Heat No.	Coil No.	Batch No.	Quantity	Dimensions (inch)	Weight(Pound)						
1	A2801156	KA80562761	78299287	1	0.188 x 48 x C	20216						
2	A2800918	KA80461711	78294088	1	0.252 x 48 x C	21032						
Total:				2		41248						
Chemical Composition												
Heat No.	C	Si	Mn	P	S	Cr	Ni	Cu	Al	N	Mo	Ti
A2801156	0.041	0.389	1.071	0.028	0.007	18.153	8.064	0.223		0.068	0.117	
A2800918	0.047	0.591	1.121	0.023	0.003	18.041	8.002	0.194		0.072	0.089	
Mechanical Properties (Test temperature : 20°C)												
Test No.	Tensile R _m N/mm ²	R _{p0.2} Yield _{0.2%} N/mm ²	R _{p1.0} Yield _{1.0%} N/mm ²	Elongation		Corrosion Tests	Hardness					
				A5 (%)	A50(%)		HRB	HV	HRC			
78299287-T	635	314			56		87.5-88.0					
78294088-T	655	339			60		87.0-86.5					
SPECTROMETER SORTING TEST: OK												
Place: Taiyuan				Work Inspector: 李忠新								

7005310 - A2801156

VIRAJ PROFILES LIMITED

10 IMPERIAL CHAMBERS, FIRST FLOOR,
WILSON ROAD BALLARD ESTATE
MUMBAI 400 038 INDIA

INSPECTION CERTIFICATE**CUSTOMER :**

MAGNA STAINLESS INC (DIV OF CANADIAN
SPECIALTY METALS INC.)
5775 RUE KIERAN ST-LAURENT
QUEBEC H4S 0A3

ORDER NO. :

P003627

PACKING LIST NO. :

IMP/102069

INSPECTION NO :

IMP/102069/3

DATE :

19/05/2009

BUNDLE NO. :

2049998,2050005,2050006,2050008,2050009,2050015

GRADE
T-304/304L**DESCRIPTION :**

STAINLESS STEEL ROUND BARS L/C NO.: 1700448 DT.: 16/06/2009

*Sosluh***COLD DRAWN GROUND & POLISHED**

SIZE (UNC)	SHAPE	TOLERANCE	LENGTH (FT)	PIECES	WEIGHT (LBS)
3/4	ROUND	ASTM A484	12' R/L	387	7262

CHEMICAL ANALYSIS**HEAT NO. :**

80027

C	Mn	Si	S	P	Ni	Cr	Mo	Cu	N	Co
0.026	1.53	0.46	0.024	0.034	8.06	18.48	0.37	0.66	0.085	0.15

TEST RESULT

.2% YIELD STRENGTH KSI	TENSILE STRENGTH KSI	ELONGATION %	REDUCTION OF AREA %	HARDNESS BHN	GRAIN SIZE
83	102	42	69	205	7


Specification :

MATERIAL COMFORMS TO ASTM A 276-06, COND. A, A 479/479M-06a, C OND. A, A 193/193M06a & A320/320M-05a B8 CL1, A484-06b, A 182/182M-06 COND. A, ASME SA 479-98, COND. A, SA 193-98 B8 CL1, SA 320-98 B8 CL1, SA-182-98 (CHEMISTRY ONLY); NACE MR0175-2002, AMS QQ-S-763 B-06, COND. A, (EXCEPT MARKING), AMS 5639G/5647H (EXCEPT MARKING), INTERGRANULAR CORROSION TEST AS PER ASTM A 262-02a PRACTICE E, GRAIN SIZE AS PER ASTM E112-96e1, IMPROVED MACHINABILITY QUALITY, UNS-S-30400/S-30403, CERTIFICATE AS PER EN 10204-3.1.

Remarks :

MATERIAL IS FREE FROM MERCURY CONTAMINATION, FREE FROM WELD OR WELD REPAIRS, MICRO FREE FROM CONTINUOUS MINIMUM SOLUTION ANNEALING TEMPERATURE 1050C; SOAKING TIME 1hr/inch., WATER QUENCHED, MELT SOURCE AOD, MELT & MANUFACTURED: INDIA COUNTRY OF ORIGIN: INDIA. WE CONFIRM THAT THE MATERIAL HAS BEEN TESTED AND FOUND TO BE FREE FROM RADIOACTIVE CONTAMINATION.

We hereby certified that the material described above has been tested and complies with the terms of order/contract.

*[Signature]*
WORKS INSPECTOR

Material Test Report

Customer Ship To:

Magna Stainless Inc.
5775 Kieran St.

St-Laurent

QB H4S 0A3

Our Order: 363651 - 2

Your PO # P006386

Part # 05617-000-240

Die: EH05617

Description: 4.000 x 2.000 x .120

Alloy Temper 6061 T6

Print Date: 9/3/2009

Chemical Properties

Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	others each	others total	Al
0.40-0.8	0.7 max	0.15-40	0.15 max	0.8-1.2	0.04-0.35	0.25 max	0.15	0.05	0.15	remain

Mechanical Properties

Test ID	Test Date	CastNum	Strength ksi		Elongation (2" gage length)
			Ultimate	Yield (2% Offset)	
117693	8/26/09	7547	39.62	35.41	9.0

Applicable Specifications: ASTM B221-08 ASTM B308-02 ASTM B429 QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Doug Barnes - Tensile Testing

Authorized

Evan Eng, Quality Assurance Mgr.

P006386-7547

VIRAJ PROFILES LIMITED

F/QAD/08

10 IMPERIAL CHAMBERS, FIRST FLOOR,
WILSON ROAD, BALLARD ESTATE,
MUMBAI 400 038, INDIA.

TEST CERTIFICATE**CUSTOMER :**

ORDER NO.
PO 913

PACKING
LIST NO.
PROF/330625

INSPECTION NO
PROF/330625/8

DATE
24/04/2009

BUNDLE NO.
5377182,5445133

GRADE
304/304L

DESCRIPTION :
STAINLESS STEEL ANGLE BARS

HOT ROLLED ANNEALED & PICKLED

SIZE (INC)	SHAPE	TOLERANCE	LENGTH (FT)	PIECES	WEIGHT (LBS)
2" X 2" X 1/8"	ANGLE	ASTM A484	20' - 22'	114	4039

CHEMICAL ANALYSIS

HEAT NO. 79837

C	Mn	Si	S	P	Ni	Cr	Mo	Cu	N	Co
0.020	1.72	0.47	0.020	0.037	8.09	18.20	0.48	0.43	0.080	0.14

TEST RESULT

.2% YIELD STRENGTH KSI	TENSILE STRENGTH KSI	ELONGATION %	REDUCTION OF AREA %	HARDNESS BHN	GRAIN SIZE
45	95	47	59	194	8

Specification :

MATERIAL CONFORMS TO UNS # S 30400/S 30403, ASTM A276-06, COND.A, A479/A479M-06a, +S2.1, COND. A, ASME SA479/479M-04, +S2.1, AMS 5639H/AMS 5647H, SAE AMS - QQS-783F. DIMENSIONAL TOLERANCES AS PER ASTM A484/A484M-06b. IGC TEST (INTERGRANULAR CORROSION) FOUND SATISFACTORY AS PER ASTM A262-02ae3, PRACTICE-E. TEST CERTIFICATION CONFORMING TO EN 10204-3.1b. GRAIN SIZE PER ASTM E112 - 96(2004)e2.
COUNTRY OF ORIGIN : INDIA

Remarks :

SOLUTION ANNEALED AT A TEMP: 1050 DEG CENTIGRADE, & WATER QUENCHED, CONDITION A PER ASTM A479. MATERIAL IS FREE FROM MERCURY CONTAMINATION, NO WELD OR WELD REPAIRS. MICROSTRUCTURE: SATISFACTORY & AUSTENITIC. COLOUR CODE: RED

We hereby certify that the material described above has been tested and complies with the terms of order/contract.


NIRAJ KUMAR
D.M(Q.A)

DART
aerospaceDart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053**PURCHASE ORDER**Purchase Order ID **PO10790**

Purchase Order Date 11/18/09

PO Print Date 11/18/09

Page Number 1 of 2

Order From :

VC-MAG002

FAXEDMAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone

800 363 6646

Vendor Fax

514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M6061T6TR4.0X2.0W125	6061-T6 Rect Tube 4.0 x 2.0 x .125w	11/19/09 Yes	✓ 20.00 f	Yours ppd	\$4.1000	\$82.00
		Special Inst: MATERIAL: 6061-T6 OR 6061-T651/T6510/T6511/T62 RECTANGULAR TUBING PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160					
2	M6061T6S.050	6061-T6 .050 Sheet	11/19/09 Yes	✓ 96.00 sf	Yours ppd	\$2.8750	\$276.00
		Special Inst: MATERIAL: 6061-T6/T62 ALUMINUM SHEET QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025/AMS4027 OR ASTM B209					
3	M6061T6B00750X00.125	6061-T6 Bar .750 x .125	11/19/09 Yes	12.00 f Nec - 20	Yours ppd	\$0.5000	\$6.00

*P 9/11/15*No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 11/18/09



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO10790**

Purchase Order Date 11/18/09

PO Print Date 11/18/09

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone 800 363 6646

Vendor Fax 514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Special Inst: MATERIAL: 6061-
T6/T651/T6510/T6511/T62 ALUMINUM
BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 OR
AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR
AMS 4160 OR ASTM B211 OR ASTM
B221

4

M304RO.750

304 SS Roundbar .750

11/19/09

Yes

40.00 Yours ppd

\$3.8000

\$152.00

REC^f 50.80 PO 9/11/19

Special Inst: MATERIAL: AISI 304/316 SS ROUND
BAR (ASTM A276)
NOTE: AISI 303 NOT ACCEPTABLE

5

M304S188

304 SHEET 0.188

11/19/09

Yes

✓ 32.00 Yours ppd
sf

\$17.3438

\$555.00

Special Inst: MATERIAL: AISI 304/316 SS SHEET
ANNEALED 2B FINISH
AS PER MIL-S-5059 OR AMS 5513(304)
AMS 5524 (316)
OR ASTM A240 OR ASME SA240

PO Total:

\$1,071.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 11/18/09

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable